

PDDL PUMP5

Supastream

Supastream pumps are general purpose units designed for use in swimming pools and low pressure water recirculation applications.

Supatuf MK2

The Supatuf MK2 pump is ideal for large domestic swimming pools with ancillary systems such as heating, in-floor cleaning, fountains, vacuum cleaning and swim jets.



www.waterco.com


Efficient Impeller and Diffuser Design

The pump's impeller and diffuser design maximizes the hydraulic output of the pump while minimizing turbulence. The pump's efficient hydraulic performance shortens run times and reduces energy consumption leading to lower operating costs.

Engineered Durability

The pump body is manufactured utilising state of the art engineering plastic moulding with a single piece strainer pot and volute for extra strength.

A high grade 316 stainless steel mechanical seal is incorporated for extra protection against corrosion. e.g. from chlorinated water, ozone, iodine, Baquacil, bromine and salt water.



- 1. Clear basket lid.
- 2. Quick connect barrel unions for UPVC pipe.
- 3. High grade carbon/graphite mechanical seal with 316 stainless steel spring assembly.
- 4. High performance motor:
 - IP44 rating
 - Motor shaft 303 grade stainless steel.Fan cooled.
 - Thermal overload protection
- 5. Stable support base.
- 6. Secondary Seal For extra protection of the pump motor.
- 7. Secondary seal drain pipe.
- 8. Hydraulically efficient impeller and diffuser design.
- 9. Drain plugs.
- 10. Strong single piece glass filled thermoplastic pump body.
- 11. Strainer basket capture debris and protects the pumps impeller.

Secondary Seal

Situated between the pump wet end & the pump motor, a mechanical seal forms a seal around the motor shaft to prevent water from running out along the shaft of a motor. The mechanical seal is the wearing part of any pool pump.

A mechanical seal may leak water if the pump is ever run dry or simply be worn out. If a leaky mechanical seal is not replaced promptly, water will travel up the shaft of the motor and ruin the motor in a very short period of time.

Waterco's Secondary Seal protects the pump motor's end shield from any water contact, by capturing any leaks through a worn out mechanical seal and draining it out of the pump.





Supastream

Supastream pumps are general purpose units designed for use in swimming pools and low pressure water re-circulation applications.

Pump	Inlet / outlet	Strainer basket size		
Supastream 50	40mm	1.5		
Supastream 75,100 & 150	40/50mm	1.5		








Model	Flow Rate (lpm)		Nom.	kW	Amag	Total Length	
Model	6m	8m	HP	ĸvv	Amps	(mm)	
Supastream 50	120 60		0.50	0.563	2.55	575	
Model	Flow Rate (lpm)		Nom.	kW	Amos	Total	
Model	8m	10m	HP	ĸvv	Amps	Length (mm)	
Supastream 75	119	63	0.75	0.626	2.82	575	
Supastream 100	234	169	1.00	0.793	3.50	575	
Supastream 150	320	263	1.50	1.056	4.76	596	


F	Phase	Volts	Cycle	RPM		
	1	220-240	50	2810		

Supastream 50



Π

Supastream 75, 100 & 150



Noise Levels

www.waterco.com


Supatuf MK2

The Supatuf MK2 pump is ideal for large domestic swimming pools with ancillary systems such as heating, infloor cleaning, fountains, vacuum cleaning and swim jets.




Pump	Inlet / outlet	Strainer basket size
Supatuf MK2	50mm	2.1


Flow Curves




Noise Levels



	Model	Flow Ra	te (lpm)	Nom.	kW	A 100 10 0	Total	Motor	Dhaca	Volts	Cvcle	RPM
	Model	8m	10m	HP	ĸvv	Amps	Length (mm)	Frame (mm)	Phase	VOILS	Cycle	RPM
Su	patuf MK2 100	275	240	1.00	0.84	3.70	602	71	1	220-240	50	2860
Su	patuf MK2 150	355	305	1.50	1.15	5.30	623	80				
Su	patuf MK2 200	465	410	2.00	1.50	7.20	663	80				





Warranty

Pumps	3 years (conditional)*
Wet End	3 years
Motor, mechanical seal, hair & lint pot lid, o'ring, basket, impeller & diffuser	2 years
Commercial applications	1 year
Labour	1 year

Note: Waterco Pumps are tested to Australian Standards AS/ NZS3136.

OFFICES - AUSTRALIA NSW - Sydney (Head Offic Tel: +61 2 9898 8600 QLD - Brisbane Tel: +61 7 3299 9900 VIC/TAS - Melbourne Tel: +61 3 9764 1211 WA - Perth Tel: +61 8 9273 1900 SA/NT - Adelaide Tel: +61 8 8244 6000 ACT Distribution Tel: +61 2 6280 6476

OPFICES - OVERSEAS Waterco (Europe) Limited Sittingbourne, Kent. UK Tel: +44 (0) 1795 521 733 Waterco (USA) Inc Augusta, Georgia, USA Tel: +1 706 793 7291 Waterco Canada Boucherville Quebec, Canada Tel: +1 450 748 1421 Waterco (NZ) Limited Auckland, New Zealand Tel: +64 9 525 7570

Waterco (C) Limited Guangzhou, China Tel: +86 20 3222 2180 Waterco (Far East) Sdn Bhd Selangor, Malaysia Tel: +60 3 6145 6000 PT Waterco Indonesia Jakarta, Indonesia Tel: +62 21 4585 1481 Waterco Singapore Intl Pte Ltd Nehsons Building, Singapore Tel: +65 6344 2378

DISTRIBUTED BY:





In the interest of providing better quality and value we are constantly improving and updating our products. Consequently, pictures and information on our brochures may sometimes vary slightly from models available.